*Journal of Immuological Methods*, 119 (1989) 296–297
Elsevier

# Contents to volume 119 (1989)

**Number 1 – 21 April 1989**

*Research reports*

Quantification of IgG and IgG4 antibodies to bee venom phospholipase $A_2$ by competitive inhibition in ELISA
*R. Rieben and K. Blaser (Switzerland)* 1

Inhibition of antibody production at high cell density following mitogen stimulation and isotype switching in vitro
*M.G. McHeyzer-Williams and G.J.V. Nossal (Australia)* 9

Quantification of human high molecular weight kininogen by immunoblotting with a monoclonal anti-light chain antibody
*S. Reddigari and A.P. Kaplan (U.S.A.)* 19

Comparison of different ELISAs for the detection of monoclonal antibodies to human interferon-α. Implications for antibody screening
*M.L. Overall, S. Marzuki and P.J. Hertzog (Australia)* 27

Optimizing the solid-phase immunofiltration assay. A rapid alternative to immunoassays
*O.E. IJsselmuiden, P. Herbrink, M.J.M. Meddens, B. Tank, E. Stolz and R.V.W. Van Eijk (The Netherlands)* 35

A fluorescence-based assay for quantitation of lymphokine-activated killer cell activity
*T. Volgmann, A. Klein-Struckmeier and H. Mohr (F.R.G.)* 45

Evaluation of a solid-phase monoclonal antibody-based enzyme immunoassay for insulin in human serum
*M.-J. Storch, A. Alexopoulos and L. Kerp (F.R.G.)* 53

A simple hemagglutination method for the detection of cell surface antigens
*D. Kokkinopoulos, S. Perez and M. Papamichail (Greece)* 59

Local tissue injury induced by glucose oxidase conjugated with anti-collagen antibody
*V.R. Muzykantov, M.M. Peclo and O.Y. Printseva (U.S.S.R.)* 65

Differential determination of recombinant human interleukin-1α and its deamidated derivative by two sandwich enzyme immunoassays using monoclonal antibodies. Comparison with a polyclonal antibody-based competitive enzyme immunoassay
*N. Sunahara, S. Kawata, K. Kaibe, R. Furuta, M. Yamayoshi, M. Yamada and S. Kurooka (Japan)* 75

A rapid method for quantitation of antiviral antibodies
*J.D. Peterson, J.Y. Kim, R.W. Melvold, S.D. Miller and C. Waltenbaugh (U.S.A.)* 83

In vivo localization of lymphocytes labelled with low concentrations of Hoechst 33342
*D. Loeffler and S. Ratner (U.S.A.)* 95

Binding of complement components C1q, C3, C4 and C5 to a model immune complex in ELISA
*A. Larsson and J. Sjöquist (Sweden)* 103

Preparation of monoclonal antibodies against methamphetamine
*T. Usagawa, M. Nishimura, T. Uda and Y. Nakahara (Japan)* 111

Indirect double sandwich ELISA for the specific and quantitative measurement of mouse IgM, IgA and IgG subclasses
*A.-S. Klein-Schneegans, C. Gavériaux, P. Fonteneau and F. Loor (France, Switzerland)* 117

Detection of low and high affinity binding sites with fluoresceinated human recombinant interleukin-2
*A. Harel-Bellan, Z. Mishal, J. Willette-Brown and W.L. Farrer (U.S.A., France)* 127

Characterization of liposome suspensions by flow cytometry
*N.K. Childers, S.M. Michalek, J.H. Eldridge, F.R. Denys, A.K. Berry and J.R. McGhee (U.S.A.)* 135

An improved method for the detection of IgE antibody of defined specificity by ELISA using rat monoclonal anti-IgE antibody
*T. Hirano, N. Yamakawa, H. Miyajima, K. Maeda, S. Takai, A. Ueda, O. Taniguchi, H. Hashimoto, S. Hirose, K. Okumura and Z. Ovary (Japan, U.S.A.)* 145

*Announcements* 151

*Notes to authors* 152

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

*Journal of Immuological Methods*, 119 (1989) 296–297
Elsevier

# Contents to volume 119 (1989)

**Number 1 – 21 April 1989**

*Research reports*

Quantification of IgG and IgG4 antibodies to bee venom phospholipase $A_2$ by competitive inhibition in ELISA
*R. Rieben and K. Blaser (Switzerland)* 1

Inhibition of antibody production at high cell density following mitogen stimulation and isotype switching in vitro
*M.G. McHeyzer-Williams and G.J.V. Nossal (Australia)* 9

Quantification of human high molecular weight kininogen by immunoblotting with a monoclonal anti-light chain antibody
*S. Reddigari and A.P. Kaplan (U.S.A.)* 19

Comparison of different ELISAs for the detection of monoclonal antibodies to human interferon-α. Implications for antibody screening
*M.L. Overall, S. Marzuki and P.J. Hertzog (Australia)* 27

Optimizing the solid-phase immunofiltration assay. A rapid alternative to immunoassays
*O.E. IJsselmuiden, P. Herbrink, M.J.M. Meddens, B. Tank, E. Stolz and R.V.W. Van Eijk (The Netherlands)* 35

A fluorescence-based assay for quantitation of lymphokine-activated killer cell activity
*T. Volgmann, A. Klein-Struckmeier and H. Mohr (F.R.G.)* 45

Evaluation of a solid-phase monoclonal antibody-based enzyme immunoassay for insulin in human serum
*M.-J. Storch, A. Alexopoulos and L. Kerp (F.R.G.)* 53

A simple hemagglutination method for the detection of cell surface antigens
*D. Kokkinopoulos, S. Perez and M. Papamichail (Greece)* 59

Local tissue injury induced by glucose oxidase conjugated with anti-collagen antibody
*V.R. Muzykantov, M.M. Peclo and O.Y. Printseva (U.S.S.R.)* 65

Differential determination of recombinant human interleukin-1α and its deamidated derivative by two sandwich enzyme immunoassays using monoclonal antibodies. Comparison with a polyclonal antibody-based competitive enzyme immunoassay
*N. Sunahara, S. Kawata, K. Kaibe, R. Furuta, M. Yamayoshi, M. Yamada and S. Kurooka (Japan)* 75

A rapid method for quantitation of antiviral antibodies
*J.D. Peterson, J.Y. Kim, R.W. Melvold, S.D. Miller and C. Waltenbaugh (U.S.A.)* 83

In vivo localization of lymphocytes labelled with low concentrations of Hoechst 33342
*D. Loeffler and S. Ratner (U.S.A.)* 95

Binding of complement components C1q, C3, C4 and C5 to a model immune complex in ELISA
*A. Larsson and J. Sjöquist (Sweden)* 103

Preparation of monoclonal antibodies against methamphetamine
*T. Usagawa, M. Nishimura, T. Uda and Y. Nakahara (Japan)* 111

Indirect double sandwich ELISA for the specific and quantitative measurement of mouse IgM, IgA and IgG subclasses
*A.-S. Klein-Schneegans, C. Gavériaux, P. Fonteneau and F. Loor (France, Switzerland)* 117

Detection of low and high affinity binding sites with fluoresceinated human recombinant interleukin-2
*A. Harel-Bellan, Z. Mishal, J. Willette-Brown and W.L. Farrer (U.S.A., France)* 127

Characterization of liposome suspensions by flow cytometry
*N.K. Childers, S.M. Michalek, J.H. Eldridge, F.R. Denys, A.K. Berry and J.R. McGhee (U.S.A.)* 135

An improved method for the detection of IgE antibody of defined specificity by ELISA using rat monoclonal anti-IgE antibody
*T. Hirano, N. Yamakawa, H. Miyajima, K. Maeda, S. Takai, A. Ueda, O. Taniguchi, H. Hashimoto, S. Hirose, K. Okumura and Z. Ovary (Japan, U.S.A.)* 145

*Announcements* 151

*Notes to authors* 152

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

**Number 2 – 12 May 1989**

*Review article*

Immunoblotting and dot blotting
*D.I. Stott (U.K.)* 153

*Research reports*

Evaluation of a fluorochrome assay for assessing the bactericidal activity of neutrophils in human phagocyte dysfunctions
*R. Bellinati-Pires, S.E. Melki, G.M.D.D. Colletto and M.M.S. Carneiro-Sampaio (Brasil)* 189

Flow cytometric detection of anti-gliadin antibodies
*G. Presani, S. Perticarari and M.A. Mangiarotti (Italy)* 197

Re-examination and further development of a precise and rapid dye method for measuring cell growth/cell kill
*M.B. Hansen, S.E. Nielsen and K. Berg (Denmark)* 203

Fast ELISA for measuring serum antibody responses
*M. Levine and R.L. Brumley, Jr. (U.S.A.)* 211

An enzyme-linked immunosorbent assay for immune complex of HTLV-I
*K. Ishibashi, S. Hanada, K. Uozumi, M. Otsuka, T. Sakurami and S. Hashimoto (Japan)* 217

Purification of uteroglobin using monospecific antibodies coupled to divinylsulphone-activated agarose
*D.R. Dannhorn, B. Wirth and C. Kirchner (F.R.G.)* 223

The ability of normal human monocytes to phagocytose IgG-coated red blood cells is related to the number of accessible galactosyl and mannosyl residues in the Fc domain of the anti-red blood cell IgG antibody molecules
*M.G. Malaise, P. Franchimont and P.R. Mahieu (Belgium)* 231

Rat monoclonal antibodies. VII. Enhancement of ascites production and yield of monoclonal antibodies in rats following pretreatment with pristane and Freund's adjuvant
*J.-P. Kints, P. Manouvriez and H. Bazin (Belgium)* 241

Expansion of lymphokine-activated killer cells for clinical use utilizing a novel culture device
*D. Colborn, J. Rinehart, B. Zwilling and J. Irr (U.S.A.)* 247

A rapid and direct method for the detection and quantification of interleukin-1 receptors using 96 well filtration plates
*R. Horuk (U.S.A.)* 255

Isolation of pure villous cytotrophoblast from term human placenta using immunomagnetic microspheres
*G.C. Douglas and B.F. King (U.S.A.)* 259

Comparison of ascites production for monoclonal antibodies in BALB/c and BALB/c-derived cross-bred mice
*F. Stewart, A. Callander and D.J. Garwes (U.K.)* 269

Human non-transformed monocyte-derived macrophage cell lines
*J.M.G. Sechler, M.K. Warren and J.I. Gallin (U.S.A.)* 277

*Technical note*

The immunocross test. An immunoelectrophoretic method based on the difference between the isoelectric points of antigens and immunoglobulins
*A. Viel and M. Le Maire (France)* 287

*Short communication*

An [$^{35}$S]methionine cytotoxicity assay requiring small numbers of effector and target cells
*K.E. Stedman and P.A. Campbell (U.S.A.)* 291

*Announcement* 295

*Contents to volume 119 (1989)* 296

*Notes to authors* 298